


Pneurop KF Flanges



Vacuum rated to 10^{-7} mbar with O-rings and to 10^{-9} mbar with metal gaskets.

- Can be used for pressures up to 2.5 bar in standard version.
- Can be used for pressures up to 5 bar with vacuum and pressure rings and reinforced collars.
- Temperature rated to over 200° C


| Diameter | A | B |
|----------|----|------|
| DN10/KF | 45 | 12,2 |
| DN16/KF | 45 | 17,2 |
| DN20/KF | 55 | 22,2 |
| DN25/KF | 55 | 26,2 |
| DN32/KF | 71 | 34,2 |
| DN40/KF | 71 | 41,2 |
| DN50/KF | 91 | 52,2 |



Aluminium clamping ring


| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 10/16 | 62 | 42 | - | - | 0001 |
| 20/25 | 75 | 54 | - | - | 0002 |
| 32/40 | 90 | 69 | - | - | 0003 |

Aisi 304 clamping ring




| DN-KF | A | B | C | D | Code |
|-------|-----|----|---|---|---------|
| 10/16 | 62 | 42 | - | - | 0001-SS |
| 20/25 | 75 | 52 | - | - | 0002-SS |
| 32/40 | 90 | 67 | - | - | 0003-SS |
| 50 | 115 | 85 | - | - | 0004-SS |

Aisi 304 half-moon steel clamp



| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|---------|
| 10/16 | 47 | 55 | - | - | 5001-SS |
| 20/25 | 57 | 67 | - | - | 5002-SS |
| 32/40 | 72 | 83 | - | - | 5003-SS |
| 50 | 96 | 112 | - | - | 5004-SS |

Nylon-glassfiber chain clamping ring




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 10/16 | 52 | 48 | - | - | 0010 |
| 20/25 | 64 | 55 | - | - | 0011 |
| 32/40 | 78 | 59 | - | - | 0012 |
| 50 | 97 | 68 | - | - | 0013 |

Nonmagnetic aluminium chain clamp


| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 10/16 | 49 | 45 | - | - | 0020 |
| 20/25 | 58 | 54 | - | - | 0021 |
| 32/40 | 74 | 62 | - | - | 0022 |
| 50 | 93 | 76 | - | - | 0023 |

Aluminium wall clamp



| DN-KF | A | B | C | D | Code |
|-------|----|----|----|----|------|
| 10 | 20 | 12 | 15 | 20 | 0029 |
| 16 | 20 | 12 | 15 | 20 | 0029 |
| 20 | 20 | 12 | 15 | 20 | 0029 |
| 25 | 20 | 12 | 15 | 20 | 0029 |
| 32 | 20 | 12 | 15 | 20 | 0029 |
| 40 | 20 | 12 | 15 | 20 | 0029 |
| 50 | 20 | 12 | 15 | 20 | 0029 |


Aisi 304 centering ring



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 0070 |
| 16 | 17 | 3,9 | - | - | 0071 |
| 20 | 22 | 3,9 | - | - | 0072 |
| 25 | 26 | 3,9 | - | - | 0073 |
| 32 | 34 | 3,9 | - | - | 0074 |
| 40 | 41 | 3,9 | - | - | 0075 |
| 50 | 52 | 3,9 | - | - | 0076 |


Aisi 316 centering ring



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|----------|
| 10 | 12 | 3,9 | - | - | 0070-316 |
| 16 | 17 | 3,9 | - | - | 0071-316 |
| 25 | 26 | 3,9 | - | - | 0073-316 |
| 40 | 41 | 3,9 | - | - | 0075-316 |
| 50 | 52 | 3,9 | - | - | 0076-316 |

Aisi 304 centering ring



VITON® O-Ring
T. Max = 200°


| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 0080 |
| 16 | 17 | 3,9 | - | - | 0081 |
| 20 | 22 | 3,9 | - | - | 0082 |
| 25 | 26 | 3,9 | - | - | 0083 |
| 32 | 34 | 3,9 | - | - | 0084 |
| 40 | 41 | 3,9 | - | - | 0085 |
| 50 | 52 | 3,9 | - | - | 0086 |

Aisi 316 centering ring

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|----------|
| 10 | 12 | 3,9 | - | - | 0080-316 |
| 16 | 17 | 3,9 | - | - | 0081-316 |

| | | | | | |
|----|----|-----|---|---|----------|
| 25 | 26 | 3,9 | - | - | 0083-316 |
| 40 | 41 | 3,9 | - | - | 0085-316 |
| 50 | 52 | 3,9 | - | - | 0086-316 |


Aisi 304 centering ring



Silicone O-Ring

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 7070 |
| 16 | 17 | 3,9 | - | - | 7071 |
| 25 | 26 | 3,9 | - | - | 7075 |
| 40 | 41 | 3,9 | - | - | 7085 |
| 50 | 52 | 3,9 | - | - | 7086 |


Aluminium centering ring



NBR O-Ring T. Max = 110°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 5070 |
| 16 | 17 | 3,9 | - | - | 5071 |
| 25 | 26 | 3,9 | - | - | 5073 |
| 40 | 41 | 3,9 | - | - | 5075 |
| 50 | 52 | 3,9 | - | - | 5076 |


Aluminium centering ring



VITON® O-Ring T. Max = 200°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 5080 |
| 16 | 17 | 3,9 | - | - | 5081 |
| 25 | 26 | 3,9 | - | - | 5083 |
| 40 | 41 | 3,9 | - | - | 5085 |
| 50 | 52 | 3,9 | - | - | 5086 |

PVC centering ring



VITON® O-Ring T. Max = 200°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 0060 |
| 16 | 17 | 3,9 | - | - | 0061 |
| 25 | 26 | 3,9 | - | - | 0063 |
| 40 | 41 | 3,9 | - | - | 0065 |
| 50 | 52 | 3,9 | - | - | 0066 |


Aisi 304 centering ring with sintered filter

VITON® O-Ring T. Max = 200°

| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 12 | 3,9 | - | - | 6080 |
| 16 | 17 | 3,9 | - | - | 6081 |
| 25 | 26 | 3,9 | - | - | 6083 |
| 40 | 41 | 3,9 | - | - | 6085 |


| | | | | | |
|----|----|-----|---|---|------|
| 50 | 52 | 3,9 | - | - | 6086 |
|----|----|-----|---|---|------|

Metallic aluminium o-ring



| DN-KF | A | B | C | D | Code |
|---------|----|----|---|---|------|
| 10/16 | 30 | 23 | 8 | - | 0030 |
| 20 /25 | 40 | 33 | 8 | - | 0031 |
| 32 / 40 | 55 | 48 | 8 | - | 0032 |
| 50 | 75 | 63 | 8 | - | 0033 |


Vacuum pressure centering ring / ext. Alum. int. Aisi 304



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|---------|----|----|---|---|------|
| 10/16 | 30 | 23 | - | 8 | 0040 |
| 20 /25 | 40 | 33 | - | 8 | 0041 |
| 32 / 40 | 55 | 48 | - | 8 | 0042 |
| 50 | 75 | 60 | - | 8 | 0043 |


Vacuum pressure centering ring / ext. Alum. int. Aisi 304



VITON® O-Ring
T. Max = 200°

| DN-KF | A | B | C | D | Code |
|---------|----|----|---|---|------|
| 10/16 | 30 | 23 | - | 8 | 0050 |
| 20 /25 | 40 | 33 | - | 8 | 0051 |
| 32 / 40 | 55 | 48 | - | 8 | 0052 |
| 50 | 75 | 60 | - | 8 | 0053 |


Vacuum pressure centering ring Aisi 304



VITON® O-Ring
T. Max = 200°

| DN-KF | A | B | C | D | Code |
|---------|----|----|---|---|---------|
| 10/16 | 30 | 23 | - | 8 | 0050-SS |
| 20 /25 | 40 | 33 | - | 8 | 0051-SS |
| 32 / 40 | 55 | 48 | - | 8 | 0052-SS |
| 50 | 75 | 60 | - | 8 | 0053-SS |


Aisi 304 reduction centering ring



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|---------|----|----|-----|---|------|
| 10/16 | 17 | 12 | 3,9 | - | 0090 |
| 20/25 | 26 | 22 | 3,9 | - | 0091 |
| 32 / 40 | 41 | 34 | 3,9 | - | 0092 |


Aisi 304 reduction centering ring



VITON® O-Ring
T. Max = 200°

| DN-KF | A | B | C | D | Code |
|---------|----|----|-----|---|------|
| 10/16 | 17 | 12 | 3,9 | - | 0100 |
| 20/25 | 26 | 22 | 3,9 | - | 0101 |
| 32 / 40 | 41 | 34 | 3,9 | - | 0102 |


Aluminium reduction centering ring



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|---------|----|----|-----|---|------|
| 10/16 | 17 | 12 | 3,9 | - | 5090 |
| 20/25 | 26 | 22 | 3,9 | - | 5091 |
| 32 / 40 | 41 | 34 | 3,9 | - | 5092 |


Aluminium reduction centering ring



VITON® O-Ring
T. Max = 200°


| DN-KF | A | B | C | D | Code |
|---------|----|----|-----|---|------|
| 10/16 | 17 | 12 | 3,9 | - | 5100 |
| 20/25 | 26 | 22 | 3,9 | - | 5101 |
| 32 / 40 | 41 | 34 | 3,9 | - | 5102 |

Aisi 304 blind flange




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 10 | 30 | 12 | 5 | - | 0110 |
| 16 | 30 | 17 | 5 | - | 0111 |
| 20 | 40 | 22 | 5 | - | 0112 |
| 25 | 40 | 26 | 5 | - | 0113 |
| 32 | 55 | 34 | 5 | - | 0114 |
| 40 | 55 | 41 | 5 | - | 0115 |
| 50 | 75 | 52 | 5 | - | 0116 |

Aisi 316 blind flange




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|----------|
| 10 | 30 | 12 | 5 | - | 0100-316 |
| 16 | 30 | 17 | 5 | - | 0111-316 |
| 25 | 40 | 26 | 5 | - | 0113-316 |
| 32 | 55 | 34 | 5 | - | 0114-316 |
| 40 | 55 | 41 | 5 | - | 0115-316 |
| 50 | 75 | 52 | 5 | - | 0116-316 |

Aluminium blind flange




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 10 | 30 | 12 | 5 | - | 5110 |
| 16 | 30 | 17 | 5 | - | 5111 |
| 25 | 40 | 26 | 5 | - | 5113 |
| 40 | 55 | 41 | 5 | - | 5115 |
| 55 | 75 | 52 | 5 | - | 5116 |

Aisi 304 soldering flange




| DN-KF | A | B | C | D | Code |
|-------|----|------|---|---|------|
| 10 | 30 | 14 | 5 | - | 8110 |
| 16 | 30 | 20 | 5 | - | 8111 |
| 25 | 40 | 25,4 | 5 | - | 8112 |
| 25 | 40 | 28 | 5 | - | 8113 |
| 40 | 55 | 42,4 | 5 | - | 8114 |
| 40 | 55 | 45 | 5 | - | 8115 |
| 50 | 75 | 50,8 | 5 | - | 8117 |
| 50 | 75 | 54 | 5 | - | 8116 |

Aisi 304 pocket soldering flange



| DN-KF | A | B | C | D | Code |
|-------|----|------|----|---|---------|
| 10 | 30 | 13 | 12 | - | 7120-13 |
| 16 | 30 | 19 | 12 | - | 7121-19 |
| 25 | 40 | 25,4 | 12 | - | 7123-25 |
| 25 | 40 | 26,9 | 12 | - | 7123-27 |
| 40 | 55 | 38 | 12 | - | 7125-42 |
| 40 | 55 | 42,4 | 12 | - | 7125-45 |
| 50 | 75 | 50,8 | 12 | - | 7126-51 |
| 50 | 75 | 54 | 12 | - | 7126-54 |


Aisi 304 soldering socket



| DN-KF | A | B | C | D | Code |
|-------|----|------|----|---|---------|
| 10 | 26 | 14 | 12 | - | 0120-14 |
| 10 | 30 | 14 | 12 | - | 5120 |
| 10 | 42 | 14 | 12 | - | 8120 |
| 10 | 52 | 14 | 12 | - | 0130-14 |
| 10 | 70 | 14 | 12 | - | 5130 |
| 16 | 26 | 20 | 17 | - | 0121-20 |
| 16 | 30 | 20 | 17 | - | 5121 |
| 16 | 42 | 20 | 17 | - | 8121 |
| 16 | 52 | 20 | 17 | - | 0131-20 |
| 16 | 70 | 20 | 17 | - | 5131 |
| 20 | 26 | 25 | 22 | - | 0122 |
| 20 | 52 | 25 | 22 | - | 0123 |
| 25 | 26 | 25,4 | 26 | - | 0123-25 |
| 25 | 26 | 27 | 26 | - | 0123-27 |
| 25 | 26 | 28 | 26 | - | 0123-28 |
| 25 | 30 | 28 | 26 | - | 5123-28 |
| 25 | 42 | 28 | 26 | - | 8123 |
| 25 | 55 | 25,4 | 26 | - | 0133-25 |
| 25 | 55 | 28 | 26 | - | 0133-28 |
| 25 | 70 | 28 | 26 | - | 5133-28 |
| 32 | 26 | 38 | 34 | - | 0124-38 |
| 32 | 58 | 38 | 34 | - | 0134-38 |
| 40 | 26 | 38 | 41 | - | 0125-38 |
| 40 | 26 | 42,4 | 41 | - | 0125-42 |
| 40 | 26 | 45 | 41 | - | 0125-45 |
| 40 | 26 | 48,5 | 41 | - | 0125-48 |
| 40 | 30 | 45 | 41 | - | 5125-45 |
| 40 | 42 | 45 | 41 | - | 8125 |
| 40 | 58 | 38 | 41 | - | 0135-38 |
| 40 | 58 | 42,4 | 41 | - | 0135-42 |
| 40 | 58 | 45 | 41 | - | 0135-45 |
| 40 | 70 | 45 | 41 | - | 5135-45 |
| 50 | 26 | 48,5 | 52 | - | 0126-48 |
| 50 | 26 | 50,8 | 52 | - | 0126-51 |
| 50 | 26 | 54 | 52 | - | 0126-54 |
| 50 | 26 | 57 | 52 | - | 0126-57 |
| 50 | 26 | 60,3 | 52 | - | 0126-60 |


| | | | | | |
|----|----|------|----|---|---------|
| 50 | 30 | 57 | 52 | - | 5126-57 |
| 50 | 42 | 57 | 52 | - | 8126 |
| 50 | 42 | 48 | 52 | - | 0126-48 |
| 50 | 58 | 50,8 | 52 | - | 0136-51 |
| 50 | 58 | 54 | 52 | - | 0136-54 |
| 50 | 58 | 57 | 52 | - | 0136-57 |
| 50 | 70 | 57 | 52 | - | 5136-57 |
| 50 | 58 | 54 | 52 | - | 0136-54 |
| 50 | 58 | 57 | 52 | - | 0136-57 |
| 25 | 55 | 27 | 26 | - | 0133-27 |
| 25 | 55 | 27 | 26 | - | 0133-27 |
| 25 | 55 | 27 | 26 | - | 0133-27 |
| 25 | 55 | 27 | 26 | - | 0133-27 |
| 25 | 55 | 27 | 26 | - | 0133-27 |

Aisi 316 soldering socket




| DN-KF | A | B | C | D | Code |
|-------|----|------|----|---|-------------|
| 10 | 26 | 14 | 12 | - | 0120-14-316 |
| 10 | 30 | 14 | 12 | - | 5120-316 |
| 10 | 42 | 14 | 12 | - | 8120-316 |
| 10 | 52 | 14 | 12 | - | 0130-14-316 |
| 10 | 70 | 14 | 12 | - | 5130-316 |
| 16 | 26 | 20 | 17 | - | 0121-20-316 |
| 16 | 30 | 20 | 17 | - | 5121-316 |
| 16 | 42 | 20 | 17 | - | 8121-316 |
| 16 | 52 | 20 | 17 | - | 0131-20-316 |
| 16 | 70 | 20 | 17 | - | 5131-316 |
| 25 | 26 | 25,4 | 26 | - | 0123-25-316 |
| 25 | 26 | 28 | 26 | - | 0123-28-316 |
| 25 | 30 | 28 | 26 | - | 5123-28-316 |
| 25 | 42 | 28 | 26 | - | 8123-316 |
| 25 | 55 | 25,4 | 26 | - | 0133-25-316 |
| 25 | 55 | 28 | 26 | - | 0133-28-316 |
| 25 | 70 | 28 | 26 | - | 5133-28-316 |
| 40 | 26 | 38 | 41 | - | 0125-38-316 |
| 40 | 26 | 42,4 | 41 | - | 0125-42-316 |
| 40 | 26 | 45 | 41 | - | 0125-45-316 |
| 40 | 26 | 48,5 | 41 | - | 0125-48-316 |
| 40 | 30 | 45 | 41 | - | 5125-45-316 |
| 40 | 42 | 45 | 41 | - | 8125-316 |
| 40 | 58 | 42,4 | 41 | - | 0135-42-316 |
| 40 | 58 | 45 | 41 | - | 0135-45-316 |
| 40 | 70 | 45 | 41 | - | 5135-45-316 |
| 50 | 26 | 48,5 | 52 | - | 0126-48-316 |
| 50 | 26 | 50,8 | 52 | - | 0126-51-316 |
| 50 | 26 | 54 | 52 | - | 0126-54-316 |
| 50 | 26 | 57 | 52 | - | 0126-57-316 |
| 50 | 26 | 60,3 | 52 | - | 0126-60-316 |
| 50 | 30 | 57 | 52 | - | 5126-57-316 |
| 50 | 42 | 57 | 52 | - | 8126-316 |
| 50 | 58 | 50,8 | 52 | - | 0136-51-316 |
| 50 | 58 | 54 | 52 | - | 0136-54-316 |
| 50 | 58 | 57 | 52 | - | 0136-57-316 |
| 50 | 70 | 57 | 52 | - | 5136-57-316 |

Aisi 304 hose




| DN-KF | A | B | C | D | Code |
|-------|----|----|----|---|------|
| 10 | 40 | 12 | 8 | - | 0140 |
| 16 | 40 | 12 | 8 | - | 0141 |
| 25 | 40 | 12 | 8 | - | 0143 |
| 25 | 40 | 16 | 12 | - | 0146 |
| 25 | 40 | 20 | 16 | - | 0147 |
| 40 | 40 | 12 | 8 | - | 0145 |

Aisi 304 KF reduction




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 25/10 | 10 | 28 | - | - | 0151 |
| 25/16 | 16 | 28 | - | - | 0152 |
| 40/10 | 10 | 28 | - | - | 0153 |
| 40/16 | 16 | 28 | - | - | 0154 |
| 40/25 | 24 | 28 | - | - | 0155 |
| 50/16 | 16 | 28 | - | - | 0158 |
| 50/25 | 24 | 28 | - | - | 0156 |
| 50/40 | 41 | 28 | - | - | 0157 |

Aisi 304 KF conical reduction




| DN-KF | A | B | C | D | Code |
|-------|----|----|----|---|------|
| 25/16 | 28 | 24 | 16 | - | 5152 |
| 40/16 | 40 | 40 | 16 | - | 5154 |
| 40/25 | 40 | 40 | 24 | - | 5155 |
| 50/25 | 40 | 50 | 24 | - | 5156 |
| 50/40 | 40 | 50 | 40 | - | 5157 |

Aisi 304 male adapter KF/GAS




| DN-KF | A | B | C | D | Code |
|----------|------|---|-------|---|---------|
| 16-1/8 | 23 | - | 42583 | - | AM1618 |
| 16-1/4 | 27 | - | 42461 | - | AM1614 |
| 16-3/8 | 27 | - | 42585 | - | AM1638 |
| 16-1/2 | 33 | - | 42401 | - | AM1612 |
| 25-1/4 | 27 | - | 42461 | - | AM2514 |
| 25-3/8 | 27 | - | 42585 | - | AM2538 |
| 25-1/2 | 33 | - | 42401 | - | AM2512 |
| 25-3/4 | 36,5 | - | 42463 | - | AM2534 |
| 25-1 | 38 | - | 1 | - | AM251" |
| 40-1 | 40 | - | 1 | - | AM401" |
| 40-1 1/4 | 43 | - | 1,25 | - | AM40114 |
| 40-1 1/2 | 45 | - | 1,5 | - | AM40112 |
| 50-1 1/4 | 43 | - | 1,25 | - | AM50114 |
| 50-1 1/2 | 43 | - | 1,5 | - | AM50112 |
| 50-2 | 45 | - | 2 | - | AM502" |

Aisi 304 female adapter KF/GAS




| DN-KF | A | B | C | D | Code |
|----------|----|---|-------|---|---------|
| 16-1/8 | 20 | - | 42583 | - | AF1618 |
| 16-1/4 | 20 | - | 42461 | - | AF1614 |
| 16-3/8 | 25 | - | 42585 | - | AF1638 |
| 25-1/4 | 20 | - | 42461 | - | AF2514 |
| 25-3/8 | 25 | - | 42585 | - | AF2538 |
| 25-1/2 | 25 | - | 42401 | - | AF2512 |
| 25-3/4 | 35 | - | 42463 | - | AF2534 |
| 25-1 | 35 | - | 1 | - | AF251" |
| 40-1 | 35 | - | 1 | - | AF401" |
| 40-1 1/4 | 40 | - | 1,25 | - | AF40114 |
| 50-1 1/4 | 40 | - | 1,25 | - | AF50114 |
| 50-1 1/2 | 45 | - | 1,5 | - | AF50112 |
| 50-2 | 50 | - | 2 | - | AF502" |

Aisi 304 adapter KF/SWAGELOCK®




| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|--------|
| 10 | 35 | 1/4 | - | - | SW1014 |
| 16 | 35 | 1/4 | - | - | SW1614 |
| 16 | 45 | 1/2 | - | - | SW1612 |
| 25 | 35 | 1/4 | - | - | SW2514 |
| 25 | 40 | 3/8 | - | - | SW2538 |
| 25 | 45 | 1/2 | - | - | SW2512 |
| 40 | 35 | 1/4 | - | - | SW4014 |
| 40 | 40 | 3/8 | - | - | SW4038 |
| 40 | 45 | 1/2 | - | - | SW4012 |
| 50 | 35 | 1/4 | - | - | SW5014 |
| 50 | 40 | 3/8 | - | - | SW5038 |
| 50 | 45 | 1/2 | - | - | SW5012 |

Aisi 304 male adapter KF/VCR®




| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|--------|
| 10 | 35 | 1/4 | - | - | VM1014 |
| 16 | 35 | 1/4 | - | - | VM1614 |
| 16 | 40 | 1/2 | - | - | VM1612 |
| 25 | 35 | 1/4 | - | - | VM2514 |
| 25 | 40 | 1/2 | - | - | VM2512 |
| 25 | 55 | 3/4 | - | - | VM2534 |
| 40 | 35 | 1/4 | - | - | VM4014 |
| 40 | 40 | 1/2 | - | - | VM4012 |
| 40 | 55 | 3/4 | - | - | VM4034 |
| 50 | 35 | 1/4 | - | - | VM5014 |
| 50 | 40 | 1/2 | - | - | VM5012 |
| 50 | 55 | 3/4 | - | - | VM5034 |

Aisi 304 female adapter KF/VCR®



| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|--------|
| 10 | 35 | 1/4 | - | - | VF1014 |
| 16 | 35 | 1/4 | - | - | VF1614 |
| 16 | 40 | 1/2 | - | - | VF1612 |
| 25 | 35 | 1/4 | - | - | VF2514 |
| 25 | 40 | 1/2 | - | - | VF2512 |
| 25 | 55 | 3/4 | - | - | VF2534 |
| 40 | 35 | 1/4 | - | - | VF4014 |
| 40 | 40 | 1/2 | - | - | VF4012 |
| 40 | 55 | 3/4 | - | - | VF4034 |
| 50 | 35 | 1/4 | - | - | VF5014 |
| 50 | 40 | 1/2 | - | - | VF5012 |
| 50 | 55 | 3/4 | - | - | VF5034 |

Aisi 304 straight junction




| DN-KF | A | B | C | D | Code |
|-------|-----|---|---|---|------|
| 10 | 60 | - | - | - | 0160 |
| 16 | 80 | - | - | - | 0161 |
| 25 | 100 | - | - | - | 0163 |
| 40 | 130 | - | - | - | 0165 |
| 50 | 140 | - | - | - | 0166 |


Aisi 304 bellows

| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 16 | 90 | 80 | - | - | 0170 |

| | | | | | |
|----|-----|-----|---|---|------|
| 25 | 100 | 80 | - | - | 0171 |
| 40 | 120 | 100 | - | - | 0172 |
| 50 | 120 | 100 | - | - | 0173 |




O-Ring



NBR O-Ring
T. Max = 110°

| DN-KF | A | B | C | D | Code |
|-------|-------|------|---|---|------|
| 10 | 15 | 5 | - | - | 0180 |
| 16 | 18 | 5 | - | - | 0181 |
| 20 | 25 | 5 | - | - | 0182 |
| 25 | 28 | 5 | - | - | 0183 |
| 32 | 40,65 | 5,33 | - | - | 0184 |
| 40 | 40,65 | 5,33 | - | - | 0185 |
| 50 | 53,34 | 5,33 | - | - | 0186 |


O-Ring



VITON® O-Ring
T. Max = 200°

| DN-KF | A | B | C | D | Code |
|-------|-------|------|---|---|------|
| 10 | 15 | 5 | - | - | 0190 |
| 16 | 18 | 5 | - | - | 0191 |
| 20 | 25 | 5 | - | - | 0192 |
| 25 | 28 | 5 | - | - | 0193 |
| 32 | 40,65 | 5,33 | - | - | 0194 |
| 40 | 46,65 | 5,33 | - | - | 0195 |
| 50 | 53,34 | 5,33 | - | - | 0196 |


Aisi 304 flexible



| DN-KF | A | B | C | D | Code |
|-------|------|---|---|---|------|
| 10 | 250 | - | - | - | 0200 |
| 10 | 500 | - | - | - | 0201 |
| 10 | 750 | - | - | - | 0202 |
| 10 | 1000 | - | - | - | 0203 |
| 10 | 1500 | - | - | - | 5201 |
| 10 | 2000 | - | - | - | 5202 |
| 10 | 3000 | - | - | - | 5203 |
| 16 | 250 | - | - | - | 0204 |
| 16 | 500 | - | - | - | 0205 |
| 16 | 750 | - | - | - | 0206 |
| 16 | 1000 | - | - | - | 0207 |
| 16 | 1500 | - | - | - | 5205 |
| 16 | 2000 | - | - | - | 5206 |
| 16 | 3000 | - | - | - | 5207 |
| 25 | 250 | - | - | - | 0208 |
| 25 | 500 | - | - | - | 0209 |
| 25 | 750 | - | - | - | 0210 |
| 25 | 1000 | - | - | - | 0211 |
| 25 | 1500 | - | - | - | 5209 |
| 25 | 2000 | - | - | - | 5210 |
| 25 | 3000 | - | - | - | 5211 |
| 40 | 250 | - | - | - | 0212 |
| 40 | 500 | - | - | - | 0213 |
| 40 | 750 | - | - | - | 0214 |
| 40 | 1000 | - | - | - | 0215 |
| 40 | 1500 | - | - | - | 5213 |
| 40 | 2000 | - | - | - | 5214 |
| 40 | 3000 | - | - | - | 5215 |


| | | | | | |
|----|------|---|---|---|------|
| 50 | 250 | - | - | - | 0216 |
| 50 | 500 | - | - | - | 0217 |
| 50 | 750 | - | - | - | 0218 |
| 50 | 1000 | - | - | - | 0219 |
| 50 | 1500 | - | - | - | 5217 |
| 50 | 2000 | - | - | - | 5218 |
| 50 | 3000 | - | - | - | 5219 |

Aisi 304 annealed flexible




| DN-KF | A | B | C | D | Code |
|-------|------|---|---|---|--------|
| 10 | 250 | - | - | - | 0200-R |
| 10 | 500 | - | - | - | 0201-R |
| 10 | 750 | - | - | - | 0202-R |
| 10 | 1000 | - | - | - | 0203-R |
| 10 | 1500 | - | - | - | 5201-R |
| 10 | 2000 | - | - | - | 5202-R |
| 10 | 3000 | - | - | - | 5203-R |
| 16 | 250 | - | - | - | 0204-R |
| 16 | 500 | - | - | - | 0205-R |
| 16 | 750 | - | - | - | 0206-R |
| 16 | 1000 | - | - | - | 0207-R |
| 16 | 1500 | - | - | - | 5205-R |
| 16 | 2000 | - | - | - | 5206-R |
| 16 | 3000 | - | - | - | 5207-R |
| 25 | 250 | - | - | - | 0208-R |
| 25 | 500 | - | - | - | 0209-R |
| 25 | 750 | - | - | - | 0210-R |
| 25 | 1000 | - | - | - | 0211-R |
| 25 | 1500 | - | - | - | 5209-R |
| 25 | 2000 | - | - | - | 5210-R |
| 25 | 3000 | - | - | - | 5211-R |
| 40 | 250 | - | - | - | 0212-R |
| 40 | 500 | - | - | - | 0213-R |
| 40 | 750 | - | - | - | 0214-R |
| 40 | 1000 | - | - | - | 0215-R |
| 40 | 1500 | - | - | - | 5213-R |
| 40 | 2000 | - | - | - | 5214-R |
| 40 | 3000 | - | - | - | 5215-R |
| 50 | 250 | - | - | - | 0216-R |
| 50 | 500 | - | - | - | 0217-R |
| 50 | 750 | - | - | - | 0218-R |
| 50 | 1000 | - | - | - | 0219-R |
| 50 | 1500 | - | - | - | 5217-R |
| 50 | 2000 | - | - | - | 5218-R |
| 50 | 3000 | - | - | - | 5219-R |

Aisi 304 VACUUM/PRESSURE flexible




| DN-KF | A | B | C | D | Code |
|-------|------|---|---|---|------|
| 16 | 150 | - | - | - | 6203 |
| 16 | 250 | - | - | - | 6204 |
| 16 | 500 | - | - | - | 6205 |
| 16 | 1000 | - | - | - | 6207 |
| 16 | 1500 | - | - | - | 7205 |
| 25 | 150 | - | - | - | 7207 |
| 25 | 250 | - | - | - | 6208 |
| 25 | 500 | - | - | - | 6209 |
| 25 | 1000 | - | - | - | 6210 |
| 25 | 1500 | - | - | - | 7209 |
| 40 | 150 | - | - | - | 6211 |
| 40 | 250 | - | - | - | 6212 |
| 40 | 500 | - | - | - | 6213 |
| 40 | 1000 | - | - | - | 6215 |
| 40 | 1500 | - | - | - | 7213 |

PVC armed tube




| DN-KF | A | B | C | D | Code |
|-------|----|----|-------|---|------|
| 10 | 10 | 20 | 1 Mt. | - | 0230 |
| 16 | 16 | 25 | 1 Mt. | - | 0231 |
| 25 | 25 | 35 | 1 Mt. | - | 0233 |
| 40 | 40 | 50 | 1 Mt. | - | 0234 |

PARA RUBBER tube




| DN-KF | A | B | C | D | Code |
|-------|----|----|-------|---|------|
| 10 | 10 | 20 | 1 Mt. | - | 0240 |
| 16 | 15 | 35 | 1 Mt. | - | 0241 |
| 25 | 25 | 45 | 1 Mt. | - | 0242 |

Aisi 304 window




| DN-KF | A | B | C | D | Code |
|-------|----|----|---|---|------|
| 25 | 40 | 25 | - | - | 0250 |
| 40 | 55 | 25 | - | - | 0251 |
| 50 | 75 | 25 | - | - | 0252 |

Aisi 304 90° curve



| DN-KF | A | B | C | D | Code |
|-------|----|---|---|---|----------|
| 10 | 30 | - | - | - | 0300-90° |
| 16 | 40 | - | - | - | 0301-90° |
| 25 | 50 | - | - | - | 0303-90° |
| 40 | 65 | - | - | - | 0305-90° |
| 50 | 75 | - | - | - | 0306-90° |

Aisi 304 45° curve




| DN-KF | A | B | C | D | Code |
|-------|----|---|---|---|----------|
| 16 | 18 | - | - | - | 0301-45° |
| 25 | 23 | - | - | - | 0303-45° |
| 40 | 28 | - | - | - | 0305-45° |
| 50 | 32 | - | - | - | 0306-45° |

Aisi 304 reduction 90° curve

| DN-KF | A | B | C | D | Code |
|-------|----|----|----|----|------|
| 16/25 | 40 | 17 | 40 | 30 | 5301 |
| 25/40 | 50 | 24 | 55 | 40 | 5303 |


| | | | | | |
|-------|----|----|----|----|------|
| 40/50 | 65 | 41 | 75 | 55 | 5305 |
|-------|----|----|----|----|------|

Aisi 304 tee junction




| DN-KF | A | B | C | D | Code |
|-------|----|-----|---|---|------|
| 10 | 30 | 60 | - | - | 0310 |
| 16 | 40 | 80 | - | - | 0311 |
| 25 | 50 | 100 | - | - | 0313 |
| 40 | 65 | 130 | - | - | 0315 |
| 50 | 70 | 140 | - | - | 0316 |

Aisi 304 reduction tee junction




| DN-KF | A | B | C | D | Code |
|-------|-----|----|---|---|------|
| 25/10 | 100 | 30 | - | - | 0320 |
| 25/16 | 100 | 40 | - | - | 0321 |
| 40/10 | 130 | 40 | - | - | 0322 |
| 40/16 | 130 | 40 | - | - | 0323 |
| 40/25 | 130 | 50 | - | - | 0324 |
| 50/16 | 140 | 40 | - | - | 0326 |
| 50/25 | 140 | 50 | - | - | 0327 |
| 50/40 | 140 | 65 | - | - | 0325 |

Aisi 304 cross junction




| DN-KF | A | B | C | D | Code |
|-------|-----|----|---|---|------|
| 10 | 60 | 30 | - | - | 0330 |
| 16 | 80 | 40 | - | - | 0331 |
| 25 | 100 | 50 | - | - | 0333 |
| 40 | 130 | 65 | - | - | 0335 |
| 50 | 140 | 70 | - | - | 0336 |

Aisi 304 reduction cross junction



| DN-KF | A | B | C | D | Code |
|-------|-----|-----|----|----|------|
| 25/10 | 100 | 80 | 40 | 50 | 0340 |
| 25/16 | 100 | 80 | 40 | 50 | 0341 |
| 40/10 | 130 | 80 | 40 | 65 | 0342 |
| 40/16 | 130 | 80 | 40 | 65 | 0343 |
| 40/25 | 130 | 100 | 50 | 65 | 0344 |
| 50/40 | 140 | 130 | 65 | 70 | 0345 |

PVC protection cap



| DN-KF | A | B | C | D | Code |
|-------|----|---|---|---|---------|
| 10/16 | 30 | - | - | - | TMPVC30 |
| 20/25 | 40 | - | - | - | TMPVC40 |
| 32/40 | 55 | - | - | - | TMPVC55 |
| 50 | 75 | - | - | - | TMPVC75 |

Streas srl Via A.Meucci n°5 20019 Settimo Milanese (MI) | Tel. 0248914530 | Fax. 0248915091 P.IVA 06323900156
